



## 2370

### Tactical Flashlight

One of our most sophisticated aerospace grade aluminum flashlights, the 2370 LED flashlight has been designed as 3 lights in one.

A rotating magnetic dial switches between bright white light and night vision red or green light, so the 2370 LED is the only light you will need, whether piloting an aircraft, or navigating a park trail at night. The anodized aluminum body is strong and light weight while the strengthened steel clip fastens securely to your pocket.

The 2370 is programmable and is equipped with 3 white light modes (High, Strobe, Low). The 4 different programs allow for personal options.

The 2370 LED: It keeps you dialed in to the action.

- Built Pelican tough
- 3 LED Colors
- 3 modes High / Strobe / Low
- 2 AA Batteries (included)



### DIMENSIONS

---

<b>Length</b>	6.43" (16.3 cm)
---------------	-----------------

### MATERIALS

---

<b>Body</b>	Aluminum with Type II Anodized
<b>O-Ring</b>	EPDM
<b>Lens</b>	Polycarbonate (PC)
<b>Shroud</b>	Aluminum with Type II Anodized
<b>Clip</b>	High Carbon Steel

### COLORS

- 
- Black

### LIGHT SPECS

---

<b>Lamp Type</b>	LED
------------------	-----

### POWER

---

<b>Battery Size</b>	AA
<b>Battery Type</b>	Alkaline
<b>Battery Quantity</b>	2
<b>Batteries Included</b>	yes
<b>Volts</b>	3.0v

### WEIGHT

---






<b>Weight With Batteries</b>	6.5 oz (184 gr)
<b>Weight Without Batteries</b>	4.9 oz (139 gr)

## SWITCH

**Switch Type** Momentary Push Button  
**Light Modes** High / Strobe / Low (white) / Red / Green

## OTHER

**Minimum Pack** 6  
**Package Code** B

FL1 STANDARD	HIGH	LOW
	358 LUMENS	35 LUMENS
	2h 0mins	11h 0mins
	190m	57m
	9000cd	823cd
	IPX7	

## ACCESSORIES



**2469P**  
Replacement Battery

### Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311

[sales@pelican.com](mailto:sales@pelican.com) • [www.pelican.com](http://www.pelican.com)

*Document created on 03-09-21*